



L Number	Hite	Search Text	DB	Time stamp
1	137		USPAT;	2003/02/10 08:44
		in\$1))	US-PGPUB;	
			EPO; JPO;	
	t 		DERWENT;	
,	34	(amplett) neer10 (alumint) (-lum adi)	IBM_TDB	2002/02/20 20 44
2	34	(applet\$1 near10 (plugin\$1 or (plug adj1 in\$1))) and @ad<19990101	USPAT; US-PGPUB;	2003/02/10 08:44
		11171/// and edux15550101	EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	4	applet\$1 near10 (plugin\$1 or (plug adj1	USPĀT;	2003/02/10 09:05
		in\$1)) near10 similar\$4	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
8 .	2	5861883.pn.	USPAT;	2003/02/10 09:31
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	1	digital adil video adil planeril per 10	IBM TDB	2002/02/12 22 22
	1	digital adjl video adj1 player\$1 near10 Internet	USPAT; US-PGPUB;	2003/02/10 09:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	30	video adj1 player\$1 near10 Internet	USPAT;	2003/02/10 09:46
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
11	26	463/42.ccls. and Internet near10	USPAT;	2003/02/10 09:50
-		configur\$5	US-PGPUB;	
ļ			EPO; JPO;	
			DERWENT;	•
12	3	463/42.ccls. and Internet near10 toy\$1	IBM_TDB USPAT;	2003/02/10 09:51
	•	i vo i i i vo i i i i i i i i i i i i i	US-PGPUB;	2003/02/10 09:31
			EPO; JPO;	
			DERWENT;	
1.2	0		IBM_TDB	
13	0	configu\$4 near10 toy\$1 near10 internet\$1	USPAT;	2003/02/10 09:51
			US-PGPUB; EPO; JPO;	
			DERWENT;	ļ
			IBM TDB	
14	0	configu\$4 near10 toy\$1 near10 (internet\$1	USPĀT;	2003/02/10 09:52
		or network\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
16	7260	configur\$6 near10 device\$1 near10	USPAT;	2003/02/10 09:53
		(internet\$1 or network\$4)	US-PGPUB;	
	-		EPO; JPO;	
			DERWENT;	
15	6	configur\$6 near10 toy\$1 near10 (internet\$1	IBM_TDB USPAT;	2002/02/10 00 52
	۱	or network\$4)	USPAT; US-PGPUB;	2003/02/10 09:53
	•		EPO; JPO;	
]		DERWENT;	
			IBM_TDB	
-	82	network\$4 near10 kitchen\$1	USPĀT;	2003/02/06 09:58
	ļ		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	37	((network\$4 near10 kitchen\$1)) and	USPAT;	2003/02/05 10:31
,	j	@ad<20000331	US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	
			IBM TDB	

Search History

2/10/03 10:30:16 AM

Page 1

C:\APPS\EAST\Workspaces\540558.wsp



0					
Proj. 190; DERWENT; IBM 708	-	2	4575255.pn.	USPAT;	2003/02/05 10:08
- 2 4812963.pn.				1	
188 708 188 708 188 708 188 708 188 708 189 708 189 708 189 708 189 708 189 708 189 189 708 708 189 708					
-					
US-PGPUB; EFO: JPO: DERMENT: IBM TOB US-FAT: US-PGPUB; EFO: JPO:	† <u>-</u>	2	4812963 pp		2003/02/05 10:30
133 digital\$3 near10 network\$4 near10 DERWENT; IBM TOB 2003/02/05 10::		_	1012303.pm.	The second secon	2003/02/03 10.30
- 133 digital\$3 near10 network\$4 near10 USPAT; IBM TOB USPAT; 2003/02/05 10:: USPAT; USPAT					İ
- 133 digital\$3 mear10 network\$4 near10 USPĀT; 2003/02/05 10::					
Speaker\$1				IBM TDB	
Company Comp	-	133	digital\$3 near10 network\$4 near10	USPĀT;	2003/02/05 10:31
DERMENT; Speaker\$1) and @ad<20000331			speaker\$1	US-PGPUB;	
103				EPO; JPO;	1
-				1	
speaker\$1) and &ad<20000331				· —	
Company Comp	-	103	1 , ,		2003/02/05 10:49
Clement Composition Comp			speaker\$1)) and @ad<20000331	•	
Comploads4 or (down adj1 loads4) near10 USPAT; US					
-					ĺ
Crecipe or file\$1) near10 appliance\$1		24	(download\$4 or (down adil load\$4)) noar10		2002/02/05 10.29
Compose Comp	1	2 4			2003/02/03 10:38
DERWENT; IRM TOB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IRM TOB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;			(-101po of 1110+1) Hourto appriances	1	
-				1	
2 remote\$4 near10 control\$4 near10 network\$4 USPRT; EPO, JPO; DERWENT; IBM TDB USPRT; U				1	
near10 appliance\$1 near10 download\$4	-	2	remote\$4 near10 control\$4 near10 network\$4		2003/02/05 10:47
Temote\$4 near10 control\$4 near10 network\$4 near10 appliance\$1 SPAT; SP					2000, 02, 00 10
TEM TDB USPAT; Control\$4 near10 network\$4 USPAT; Control\$4 near10 network\$4 USPAT; Control\$4 near10 USPAT; USPEPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPEPUB; EPO; JPO; DERWENT; IBM TDB USPAT;				1	
161 remote\$4 near10 control\$4 near10 network\$4 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT;	1			1	
near10 appliance\$1				IBM_TDB	
S1 ((remote\$4 near10 control\$4 near10 DERWENT; IBM TDB DERWEN	-	161		USPĀT;	2003/02/05 10:49
DERWENT; IBM_TDB USPAT; network\$4 near10 appliance\$1)) and @ad<20000331 - 2 transfer\$4 near10 (file\$1 or recipe\$1) near10 appliance\$1 near10 server\$1 - 8 (download\$4 or (down adj1 load\$4)) near10 (file\$1 or recipe\$1) near10 appliance\$1 near10 server\$1 - 800 proxy near10 brows\$4 - 64 proxy adj1 brows\$4 - 45 ((proxy adj1 brows\$4)) and @ad<20000331	! !		near10 appliance\$1	1	
S1	! !				
-	!			1	
network\$4 near10 appliance\$1)) and			10	_	
### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 ### Proxy adj1 brows\$4 #### Proxy adj1 brows\$4 ###################################	-	21		1	2003/02/05 11:10
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;				1	
- 2 transfer\$4 near10 (file\$1 or recipe\$1) near10 appliance\$1 near10 server\$1 USPĀT; USPĒPŪB; EPO; JPO; DĒRWENT; IBM TDB USPĀT; USPĀPŪB; EPO; JPO; DĒRWENT; IBM TDB USPĀT; USPĀ			ead<20000331		
-]				İ
Near10 appliance\$1 near10 server\$1	_	2	transfer\$4 near10 /file\$1 or recipe\$1\	_	2003/02/05 11.06
### Representation of the proxy adj1 brows\$4 #### Approxy adj1 brows\$4 #### Approxy adj1 brows\$4 #### Approxy adj1 brows\$4 ##### Approxy adj1 brows\$4 ###################################		_			2003/02/03 11.00
Solution Comparison Compa			West-10 app-14		
- 8 (download\$4 or (down adj1 load\$4)) near10 (sile\$1 or recipe\$1) near10 appliance\$1 (S-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
S				1	
(file\$1 or recipe\$1) near10 appliance\$1	-	8	(download\$4 or (down adj1 load\$4)) near10	1 —	2003/02/05 11:09
near10 server\$1]		(file\$1 or recipe\$1) near10 appliance\$1		
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;]			· ·	
- 800 proxy near10 brows\$4]				
US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; ISM TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	800	proxy near10 brows\$4	· ·	2003/02/05 11:09
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;		<u> </u>		1	
- 64 proxy adj1 brows\$4 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 64 proxy adj1 brows\$4 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				!	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	_	e a	provi adil brouge4		2002/00/05
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	64	proxy adji prows\$4		2003/02/05 11:24
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1				
- 45 ((proxy adjl brows\$4)) and @ad<20000331 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;		ļ			
- 45 ((proxy adj1 brows\$4)) and @ad<20000331 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;]	l			
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;		45	((proxy adil brows\$4)) and Made20000321		2003/02/05 11:10
EPO; JPO; DERWENT; IBM_TDB download\$4 near10 other\$1 near10 server\$1 USPAT; US-PGPUB; EPO; JPO; DERWENT;			(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 :	2003/02/03 11:10
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT;					
download\$4 near10 other\$1 near10 server\$1				1	
download\$4 near10 other\$1 near10 server\$1 USPAT; 2003/02/05 11:3 US-PGPUB; EPO; JPO; DERWENT;				1	
US-PGPUB; EPO; JPO; DERWENT;	-	22	download\$4 near10 other\$1 near10 server\$1		2003/02/05 11:31
EPO; JPO; DERWENT;)	
DERWENT;					
]			i e	
IBM TDB					

		(

			•	
-	2	5875430.pn.	USPAT; US-PGPUB;	2003/02/05 11:43
			EPO; JPO;	
			DERWENT;	
_	2	control near5 center\$1 near10 network\$4	IBM_TDB USPAT;	2003/02/05 13:21
	_	near10 kitchen\$1	US-PGPUB;	2003/02/03 13.21
			EPO; JPO;	
			DERWENT;	
_	136	transfer\$5 near10 (data or file\$1) near10	IBM_TDB USPAT;	2003/02/05 13:24
	150	server\$1 near10 third	US-PGPUB;	2003/02/03 13:24
			EPO; JPO;	
-			DERWENT;	
_	75	(transfer\$5 near10 (data or file\$1) near10	IBM_TDB	2002/20/05 12 14
-	/3	server\$1 near10 third) and @ad<20000331	USPAT; US-PGPUB;	2003/02/05 13:41
		bolvolyl medilo emila, and edac20000351	EPO; JPO;	
į			DERWENT;	
1			IBM_TDB	
-	8113	home\$1 near5 network\$4	USPAT;	2003/02/05 13:37
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	64	control\$4 near10 (operation\$4 or operat\$4)	USPĀT;	2003/02/05 13:41
		near10 appliance\$1 near10 network\$4 and (home\$1 near5 network\$4)	US-PGPUB;	
		(Momest Medals Medwolks4)	EPO; JPO; DERWENT;	
			IBM TDB	
-	18	(USPAT;	2003/02/05 14:24
		operat\$4) near10 appliance\$1 near10	US-PGPUB;	
	1	network\$4 and (home\$1 near5 network\$4))	EPO; JPO;	
	1	and @ad<20000331	DERWENT;	
-	2	6119167.pn.	IBM_TDB USPAT;	2003/02/05 14:08
		¥	US-PGPUB;	2003/02/03 14.00
			EPO; JPO;	
			DERWENT;	
-	82	kitchen\$1 near10 network\$4	IBM_TDB USPAT:	2003/02/05 14:21
			US-PGPUB;	2003/02/03 14:21
			EPO; JPO;	
] .			DERWENT;	
1_	0	Idownload\$3 or Idown add1 land\$2\\ ====10	IBM_TDB	2002/00/05 1: 25
	١	(download\$3 or (down adj1 load\$3)) near10 server\$1 near10 client\$1 near10 another	USPĀT; US-PGPUB;	2003/02/05 14:22
			EPO; JPO;	
			DERWENT;	
		/4	IBM_TDB	
-	98	(download\$3 or (down adj1 load\$3)) near10	USPAT;	2003/02/05 14:24
1		server\$1 near10 client\$1 near10 second	US-PGPUB; EPO; JPO;	
}			DERWENT;	
			IBM TDB	
] -	48	((download\$3 or (down adj1 load\$3)) near10	USPAT;	2003/02/05 14:44
[i i	server\$1 near10 client\$1 near10 second) and @ad<20000331	US-PGPUB;	
		and @ad<20000331	EPO; JPO;	
[]			DERWENT; IBM TDB	
-	2	6108702.pn.	USPAT;	2003/02/06 08:43
			US-PGPUB;	111, 12, 00 00, 45
			EPO; JPO;	
			DERWENT;	
-	2	5805819.pn.	IBM_TDB USPAT;	2003/02/06 08:43
	-	·F	US-PGPUB;	2003/02/00 08:43
			EPO; JPO;	
			DERWENT;	
Ll	<u> </u>		IBM TDB	





-	327	control\$4 near10 appliance\$1 near10	USPAT;	2003/02/06 09:59
		internet	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	0	717/176.ccls. and (control\$4 near10	USPAT;	2003/02/06 09:59
		appliance\$1 near10 internet)	US-PGPUB;	
			EPO; JPO;	
1	l		DERWENT;	1
			IBM TDB	
_	82	control\$4 near10 (kitchen\$1 or home\$1)	USPAT;	2003/02/06 10:07
	, , ,	near10 appliance\$1 near10 internet	US-PGPUB;	2000,02,00 10.07
		mount approximation in the contract of the con	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	476	cebus	USPAT;	2003/02/06 10:10
	1,0		US-PGPUB;	2003/02/06 10:10
			EPO; JPO;	i
1 1			DERWENT;	
	_		IBM_TDB	0000/00/05
1 -	l °	recipe\$1 adj1 file\$1 and cebus	USPAT;	2003/02/06 10:10
1			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	recipe\$1 near10 server\$1 and cebus	USPAT;	2003/02/06 10:10
			US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
1			IBM TDB	
-	386	cebus and @ad<20000331	USPAT;	2003/02/06 10:11
	, ;		US-PGPUB;	
			EPO; JPO;	
[DERWENT;	ļ
			IBM TDB	
_	4	cebus and @ad<20000331 and kitchen adj1	USPAT;	2003/02/06 10:11
	•	appliance\$1	US-PGPUB;	2505/02/00 10.11
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	23	cebus and @ad<20000331 and appliance\$1 and	USPAT;	2003/02/06 11:01
	23	server\$1	l	2003/02/06 11:01
	i	A DOT A GYAT	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
] _	,	6510212 pp	IBM_TDB	2002/00/05 11 15
-	1	6510212.pn.	USPĀT;	2003/02/06 11:15
			US-PGPUB;	
	;		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1		USPAT	2003/02/06 11:01
-	1		USPAT	2003/02/06 11:02
-	1		USPAT	2003/02/06 11:02
-	2	6121593.pn.	USPAT;	2003/02/10 08:36
			US-PGPUB;	
			EPO; JPO;	
]	}		DERWENT;	
	j		IBM TDB	
-	1		USPAT	2003/02/06 11:19
L			ANTUI	2003/02/00 11.19